



**UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION 7**

11201 Renner Boulevard
Lenexa, Kansas 66219

MAY 02 2014

OFFICE OF THE
REGIONAL ADMINISTRATOR


Ms. Sharon H. Kneiss
President & CEO
National Waste & Recycling Association
4301 Connecticut Ave., NW
Suite 300
Washington, DC 20008

Dear Ms. Kneiss,

Thank you for your letter dated April 11, 2014, regarding the report entitled "The West Lake-Bridgeton Landfill Fire: A Perfect Storm," which was submitted to the U.S. Environmental Protection Agency on or about March 25, 2014, by the Center for Competitive Waste Industry. The EPA continues to oversee all work being conducted by the PRP group and, as you may know, the agency has taken the lead on ensuring that an isolation barrier is installed to separate the radiologically impacted material from the Bridgeton solid waste landfill.

We value the input provided by concerned citizens. We will take the information that you've provided into consideration as we evaluate options for addressing the West Lake Landfill site.

Thank you.

Sincerely,

Karl Brooks

0714

0001



40501612

Superfund

5/6/14

53



Correspondence Management System

Control Number: R7-14-000-8355-RA

Printing Date: April 18, 2014 05:25:24



Citizen Information

Citizen/Originator: Kneiss, Sharon H

Organization: National Waste & Recycling Association

Address: 4301 Connecticut Ave. NW, Washington, DC 20008

Constituent: N/A

Committee: N/A

Sub-Committee: N/A

Control Information

Control Number: R7-14-000-8355-RA

Alternate Number: N/A

Status: Pending

Closed Date: N/A *CP set 5/2/14*

Due Date: May 2, 2014

of Extensions: 0

Letter Date: Apr 18, 2014

Received Date: Apr 18, 2014

Addressee: N/A

Addressee Org: N/A

Contact Type: LTR (Letter)

Priority Code: Normal

Signature: N/A

Signature Date: N/A

File Code: 401_127_a General Correspondence Files Record copy

Subject: Letter responding to comments presented in a document by Peter N. Anderson re : The Westlake -Bridgeton Landfill fire.

Instructions: Please provide a brief acknowledgement response for RA's signature. Provide a copy to Dana Peters to scan into cms before requesting closure.

Instruction Note: N/A

General Notes: N/A

CC: N/A

Lead Information

Lead Author: N/A

Lead Assignments:

Assigner	Office	Assignee	Assigned Date	Due Date	Complete Date
Dana Peters	R7	R7-SUPR	Apr 18, 2014	May 2, 2014	N/A
Instruction: Please provide a brief acknowledgement response for RA's signature. Provide a copy to Dana Peters to scan into cms before requesting closure.					

Supporting Information

Supporting Author: N/A

Supporting Assignments:

Assigner	Office	Assignee	Assigned Date
No Record Found.			

History

Action By	Office	Action	Date
-----------	--------	--------	------



Correspondence Management System

Control Number: R7-14-000-8355-RA

Printing Date: April 18, 2014 05:25:24



Action By	Office	Action	Date
Dana Peters	R7	Assign R7-SUPR as lead office	Apr 18, 2014

Comments

Commentator	Comment	Date
No Record Found.		

ROUTING AND TRANSMITTAL SLIP

Date

04/28/14

TO: (Name, office symbol, room number,
building, Agency/Post)

Initials

Date

1. Dave Hoefler, GNSL

DHH

4/28/14

2. Ron Hammerschmidt, ENSV

RH

4/28/14

3. Curtis Carey, OPA

MCP

4/30/14

4. Mark Hague, RGAD

[Signature]

4/30/14

5. Karl Brooks, RGAD

5/2/14

Action	File	Note and Return
Approval	For Clearance	Per Conversation
As Requested	For Correction	Prepare Reply
Circulate	For Your Information	See Me
Comment	Investigate	Signature
Coordination	Justify	<input checked="" type="checkbox"/> CONCURRENCE

REMARKS

CMS: R7-14-000-8355-RA

ATTACHED -

DO NOT use this form as a RECORD of approvals, concurrences, disposals,
clearances, and similar actions

FROM: (Name, organization symbol, Agency/Post)

Room Number - Building

Carolina

Phone Number
7723AUTHORIZED FOR LOCAL REPRODUCTION
Previous Edition is Usable

7540-00-935-5862

OPTIONAL FORM 41 (REV. 3/2007)



**National
Waste & Recycling
AssociationSM**

Collect. Recycle. Innovate.

4301 Connecticut Ave NW
Suite 300
Washington DC 20008
T 202.244.4700 / 800.424.2869
F 202.966.4818

April 11, 2014

Administrator Karl Brooks
U.S. Environmental Protection Agency
Region 7
11201 Renner Boulevard
Lenexa, KS 66219

Dear Mr. Brooks:

This letter responds to comments presented in a document by Peter N. Anderson submitted to public officials titled "The West Lake-Bridgeton Landfill Fire: A Perfect Storm." In light of the seriously false claims and unfounded fears that the document suggests, the National Waste & Recycling Association (NW&RA) is submitting this letter to correct the public record and address some of the author's assumptions and misinterpretations made in the document.

Republic Services, Inc. is working with both state and federal regulators to address the issues and is following up as appropriate. The actions taken by Republic are based on careful investigation of the issues by experts. Republic continuously monitors the site and has been transparent in providing information to the regulators. Mr. Anderson, a long-standing opponent of landfills and the waste industry in general, is not a scientist by training and has no technical expertise qualifying him to comment on the complex scientific assertions in his document.

The document does not accurately portray the reality of the Bridgeton or West Lake Landfills, misuses data and incorporates inaccurate assumptions to establish untrue and unrealistic scenarios. While we leave a detailed rebuttal to those familiar with the sites, we wish to respond to some of the misrepresentations upon which Mr. Anderson's fear-inducing claims have been based.

- Despite the document's assertions, the EPA has repeatedly stated that the West Lake Landfill poses no risk to human health outside the fenced areas of the site.

- The document “normalizes” landfill temperatures, which is not accepted scientific practice. Mr. Anderson simply inflated the measured gas temperatures without providing any technical support for changing the monitored results. Republic’s monitoring results are consistent with industry standards and are used routinely for Clean Air Act compliance.
- As he has done in other attacks on the industry, Mr. Anderson fundamentally misunderstands and misrepresents the gas collection and control system (GCCS), ignoring the fact that these systems are designed, managed and operated in a manner to safely and effectively remove landfill gas while preventing the introduction of oxygen into a landfill.
- Many of Mr. Anderson’s purported risks are dependent on the occurrence of methane and thorium explosions, which he believes have a high potential. However, below 12% oxygen, methane cannot be ignited, which means that an explosion cannot occur. The landfill does not have oxygen present at such high levels. The oxygen levels are even lower in deep seated areas where temperatures are presumably the highest. For thorium, the U.S. Department of Energy document referenced by Mr. Anderson refers to a metallic form of thorium. The thorium in West Lake Landfill is present as sulfates that are not capable of pyrolysis.
- The document also misrepresents the liquids collection system within the Landfill. Mr. Anderson repeatedly asserts that pumps to remove liquid from the landfill have been removed, resulting in only perimeter collection. But in fact, there are six leachate collection sumps installed and in operation across the site. Within the past year, additional liquid collection has been added within the landfill area, including at numerous gas collection wells, further assisting with liquids evacuation from the site. This incorrect assumption leads to nearly every groundwater conclusion Mr. Anderson erroneously makes.

The comments presented herein should be taken into account while reviewing the document presented by Mr. Anderson in order to avoid the misconceptions that are contained in it and ensure that it is read in the proper context.

The Bridgeton Landfill permitting, construction and operation was pursuant to the solid waste regulations applicable at the time of its operation. Republic Services and its subsidiary Bridgeton Landfill, LLC have made tremendous efforts to work cooperatively with overseeing agencies and manage the challenges presented by these sites.

I am convinced that Republic Services, Inc., along with its subsidiaries, Bridgeton Landfill, LLC and Rock Road Industries, Inc., are committed to the safe management of both sites and best practices of the landfill industry. They are the unfortunate target of a baseless attack by Peter Anderson.

Factual information and data reporting can be found on both sites at www.bridgetonlandfill.com and www.westlakelandfill.com, as well as through federal and state websites:

[http://www.epa.gov/region7/cleanup/west lake landfill/](http://www.epa.gov/region7/cleanup/west_lake_landfill/);
<http://www.dnr.mo.gov/Bridgeton/>; and
<http://health.mo.gov/living/environment/bridgeton/>.

We appreciate the opportunity to correct the record.

Sincerely,

A handwritten signature in cursive script, appearing to read "Sharon H. Kneiss", is written over the printed name.

Sharon H. Kneiss
President & CEO
National Waste & Recycling Association




**National
Waste & Recycling
AssociationSM**

Collect. Recycle. Innovate.

4301 Connecticut Ave NW Suite 300
Washington DC 20008

CAP DISTRICT
ND 207
14 APR 14
PM 5 L



02 1P \$ 000.49⁰
0003140243 APR 11 2014
MAILED FROM ZIP CODE 20008

Administrator ~~Karl~~ Brooks
U.S. Environmental Protection Agency
Region 7
11201 Renner Boulevard
Lenexa, KS 66219

66219960101

